

Tourist Information Alzeyer Land & Rheinhessische Schweiz

Antoniterstraße 41
55232 Alzey

Tel: +49 6731 499364
Fax: +49 6731 990885

touristinfo@alzey.de
<http://www.alzeyer-land.de>

Comfort for all generations

Information on accessibility was evaluated and verified on May 4, 2023.

Images of the building/object



Tourist Information
Alzeyer Land &
Rheinhessische
Schweiz

©Robert Dieth

Underground parking lot



Underground parking
lot

(c)Julia Marmulla



Underground parking
lot

(c)Julia Marmulla



Underground parking
lot

(c)Julia Marmulla

Underground parking lot (basement)



Underground parking lot

(c)Julia Marmulla



Underground parking lot

(c)Julia Marmulla

There is a general parking lot available.

Parking machine in the underground garage



Parking machine in the underground garage

(c)Julia Marmulla



Parking machine in the underground garage

(c)Julia Marmulla

The HIGHEST position of the operating elements from the ground: 130 cm

The LOWEST position of the operating elements from the ground: 97 cm

Way across the forecourt



Way across the forecourt

(c)Julia Marmulla



Way across the forecourt

(c)Julia Marmulla



Way across the forecourt

(c)Julia Marmulla

Length of the path: 50 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 50 m.

There is seating available.

The objective of the path is within sight.

Additional information only available in German: Zwischen Aufzug, WC und Eingangsbereich wurde das Kopfsteinpflaster behandelt, so dass es erschütterungsarm ist (nicht erschütterungsfrei). Vom Parkplatz über die Straße bis zur Rampe hat diese Maßnahme nicht stattgefunden.

Stairs from the underground parking to the forecourt



Stairs from the underground parking to the forecourt

(c)Julia Marmulla

Existing thresholds/steps: 18

The height of the thresholds/steps: 17 cm

The stairs are straight.

The staircase has handrails on both sides.

The stairs are well lit and glare-free.

Door

Underground garage door (basement)



Underground garage door (basement)

(c)Julia Marmulla

The door is opened requiring the users own effort.

The door or door frame is visually contrasted to its surroundings.

The threshold height: 0 cm

Door to the staircase (basement)

The door is opened requiring the users own effort.

The door or door frame is not visually contrasted to its surroundings.

The threshold height: 0 cm

Forecourt parking



Forecourt parking

(c)Julia Marmulla



Forecourt parking

(c)Julia Marmulla

Forecourt parking



Forecourt parking

(c)Julia Marmulla

There is a general parking lot available.

External path

Path across the forecourt to the ramp in the entrance area



Path across the
forecourt to the ramp
in the entrance area

(c)Julia Marmulla

Length of the path: 200 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 30 m.

There is seating available.

The objective of the path is within sight.

Way across the forecourt



Way across the forecourt

(c)Julia Marmulla



Way across the forecourt

(c)Julia Marmulla



Way across the forecourt

(c)Julia Marmulla

Length of the path: 50 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 50 m.

There is seating available.

The objective of the path is within sight.

Additional information only available in German: Zwischen Aufzug, WC und Eingangsbereich wurde das Kopfsteinpflaster behandelt, so dass es erschütterungsarm ist (nicht erschütterungsfrei). Vom Parkplatz über die Straße bis zur Rampe hat diese Maßnahme nicht stattgefunden.

Entrance



Entrance

(c)Julia Marmulla



Entrance

(c)Julia Marmulla



Entrance
(c)Julia Marmulla



Entrance
(c)Julia Marmulla

Entrance



Entrance
(c)Julia Marmulla



Entrance
(c)Julia Marmulla



Entrance
(c)Julia Marmulla

The entrance door

The door is opened without using any force (lever handle, light barrier sensor, motion detector, etc.).

The door or door frame is not visually contrasted to its surroundings.

The threshold height: 0 cm

Stairs in the entrance area



Stairs in the entrance area
(c)Julia Marmulla



Stairs in the entrance area
(c)Julia Marmulla



Stairs in the entrance area

(c)Julia Marmulla

Existing thresholds/steps: 3

The height of the thresholds/steps: 17 cm

The stairs are straight.

The staircase has handrails on both sides.

The stairs are well lit and glare-free.

Ramp in the entrance area



Ramp in the entrance area

(c)Julia Marmulla



Ramp in the entrance area

(c)Julia Marmulla

Maximum longitudinal gradient of the ramp: 5,5 %

Minimum width of the ramp: 150 cm

Consultation room



Consultation room

(c)Julia Marmulla

Consultation room



Consultation room

(c)Julia Marmulla



Consultation room

(c)Julia Marmulla

The WIDTH of the room: 8 m

The DEPTH of the room: 4 m

There is seating available.

Counter



Counter

(c)Julia Marmulla

Counter



Counter

(c)Julia Marmulla

The counter / cash desk is at its highest point 115 cm high.

The counter / cash desk is at its lowest point 85 cm high.

There is another, equivalent communication possibility while in a sitting position.

WC in the museum area



WC in the museum area

(c)Julia Marmulla



WC in the museum area

(c)Julia Marmulla

WC for people with disabilities in the museum area



WC for people with disabilities in the museum area

(c)Julia Marmulla



WC for people with disabilities in the museum area

(c)Julia Marmulla



WC for people with disabilities in the museum area

(c)Julia Marmulla

Door to public toilet

Clear width of the passageway: 90 cm

Type of door: single leaf

The door is opened requiring the users own effort.

The door or door frame is visually contrasted to its surroundings.

The smaller manoeuvring area in front of / behind the door is 146 cm deep an 152 cm wide.

The threshold height: 0 cm

Toilet/WC

There is a uni-sex toilet.

There is a toilet available for people with disabilities.

Path from the consultation room to the WC for people with disabilities in the museum area



Path from the consultation room to the WC for people with disabilities in the museum area

(c)Julia Marmulla



Path from the consultation room to the WC for people with disabilities in the museum area

(c)Julia Marmulla

Minimum width of the corridor/way/aisle: 200 cm

Neither the objective of the path is within sight, nor is there an uninterrupted guidance system or signs in visible distance.

Door / passage to the museum area



Door / passage to the museum area

(c)Julia Marmulla

The door is opened without using any force (lever handle, light barrier sensor, motion detector, etc.).

The door or door frame is visually contrasted to its surroundings.

The threshold height: 0 cm

WC in the forecourt area



WC in the forecourt area

(c)Julia Marmulla



WC in the forecourt area

(c)Julia Marmulla

WC for people with disabilities in the forecourt area



WC for people with disabilities in the forecourt area

(c)Julia Marmulla



WC for people with disabilities in the forecourt area

(c)Julia Marmulla



WC for people with disabilities in the forecourt area

(c)Julia Marmulla



WC for people with disabilities in the forecourt area

(c)Julia Marmulla

Door to public toilet

Clear width of the passageway: 90 cm

Type of door: single leaf

The door is opened requiring the users own effort.

The door or door frame is visually contrasted to its surroundings.

The smaller manoeuvring area in front of / behind the door is 145 cm deep an 200 cm wide.

The threshold height: 0 cm

Toilet/WC

There is a uni-sex toilet.

There is a toilet available for people with disabilities.

Washbasin/sink

Way across the forecourt



Way across the forecourt

(c)Julia Marmulla



Way across the forecourt

(c)Julia Marmulla



Way across the forecourt

(c)Julia Marmulla

Length of the path: 50 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 50 m.

There is seating available.

The objective of the path is within sight.

Additional information only available in German: Zwischen Aufzug, WC und Eingangsbereich wurde das Kopfsteinpflaster behandelt, so dass es erschütterungsarm ist (nicht erschütterungsfrei). Vom Parkplatz über die Straße bis zur Rampe hat diese Maßnahme nicht stattgefunden.

Alarm/Aids

Alarm/Aids

There is an alarm.

There is no clearly visible alarm.

Führungen

Guided tours

The guides are trained so that people with walking impairments can participate in any guided tour.

There are mobile or fixed seats available for people with walking impairments, which can be used during the guided tour.

The entire route of the guided tour is accessible for wheelchair users.